



# Sunglo

## *Knitting Book*

DESIGN No.  
3218  
PAGE 2

### *Series 83*

# 74

# Waitara

DESIGN No. 3218.

(Illustrated on Front Cover)

**Warning:**—The knitting instructions in this book have been worked out by experts using "Sun-Glo" wool. Do not accept substitution. Only by using the wool specified and following the instructions and tension given can you assure success of your garment.

**Materials Required:** 8 skeins (short sleeves) 10 skeins (long sleeves) "Sun-Glo" Shrinkproof Sports wool, shade No. 2318 (Wood Green). 1 pair No. 6 Needles.

**Measurements:** Length from top of shoulder 23 inches. Bust 32/34 inches. Length of sleeve seam 5 inches.

**NOTE:**—For 36 inch bust, use No. 4 instead of No. 6 needles.

**Pattern:** A multiple of 6 sts., plus 1 extra st.

**Tension:** 9 sts. 2 inches. 12 rows 2 inches.

**Back:** Using No. 6 needles, cast on 73 sts. K. 8 rows, working into the back of all sts. to make a firm edge.

1st Row : P. 1, \* k. 2 tog., m. 1, k. 1 double by knitting through the next st. of the previous row, not the loop on the needle, m. 1, k. 2 tog., p. 1, repeat from \* to end.

2nd Row : K. 1, \* p. 5, k. 1, repeat from \* to end.

3rd Row : P. 1, \* k. 5, p. 1, repeat from \* to end.

4th Row : Repeat 2nd row.

5th Row : K. 1, double, \* m. 1, k. 2 tog., p. 1, k. 2 tog., m. 1, k. 1 double, repeat from \* to end.

6th Row : P. 3, k. 1, \* p. 5, k. 1, repeat from \* to last 3 sts., p. 3.

7th Row : K. 3, p. 1, \* k. 5, p. 1, repeat from \* to last 3 sts., k. 3.

8th Row : Repeat 6th row.

Repeat these 8 rows, and when work measures 15½ inches shape armholes by casting off 3 sts. at the beginning of the next 2 rows. K. 2 tog. each end of the next 3 rows then every 2nd row 3 times. When armholes measure 7 inches shape shoulders by casting off 6 sts. at the beginning of the next 6 rows. Cast off. *Continued on page 11.*

## ABBREVIATIONS.

K.	knit
P.	purl
St.	stitch
Tog.	together
Sl.	slip
M.	make (by putting wool forward)
PSSO.	pass slip stitch over
Br.	brown
H.	honey
W.	white
R.	rose
G.	green
Y.	yellow
ST.ST.	(stocking stitch); K. 1 row, p. 1 row alternately.

**GARTER STITCH** ..... K. every row

**MOSS ST.** With an uneven number of sts. work as follows:—K. 1, \* p. 1, k. 1, repeat from \* to end of row. Repeat this row throughout.

With an even number of sts., work as follows: 1st Row ; \* k. 1, p. 1, repeat from \* to end of row.

2nd Row : \* p. 1, k. 1, repeat from \* to end of row.

Repeat 1st and 2nd rows alternately.

## Used by Millions—Not One Shrinkage Complaint

*"Sun-Glo" Unshrinkable Wools . . have Stood the Test of Time*

◆ Did you know that every skein of "Sun-Glo" Wool is fully guaranteed to be permanently unshrinkable? If your garment should shrink the manufacturers would unhesitatingly replace the original amount of wool used.

◆ For many years now "Sun-Glo" Unshrinkable Wools have been used by Millions of women throughout Australia and other countries without a single shrinkage complaint. Insist on wool that is guaranteed—is your protection.

If any difficulty is experienced in knitting the articles in this book, please communicate direct with Alexandria Spinning Mills Pty. Ltd., 30 Grosvenor Street, Sydney.

# Springwood

DESIGN No. 3202.

(Illustrated on page 4)

**Warning:**—The knitting instructions in this book have been worked out by experts using "Sun-Glo" wool. Do not accept substitution. Only by using the wool specified and following the instructions and tension given can you assure success of your garment.

**Materials Required:** 8 skeins (short sleeves) 10 skeins (long sleeves) "Sun-Glo" Shrinkproof Sports wool, shade No. 2138 (Red). 2 pairs Needles, Nos. 8 and 6.

**Measurements:** Length from top of shoulder 23 inches. Bust 32/34 inches. Length of sleeve seam 5 inches.

**NOTE:**—For 36 inch bust, use No. 4 instead of No. 6 needles.

**Pattern:** A multiple of 4 sts. plus 2 extra sts.

**Tension:** 5 sts. 1 inch. 7 rows 1 inch.

**Back:** Using No. 8 needles, cast on 82 sts. Work 8 rows moss st. (working 1st row into back of sts.). Change to No. 6 needles.

**1st Row:** \* K. 2, sl. next st. on spare needle and leave in front, k. into back of next st., k. the st. from spare needle, repeat from \* to last 2 sts., k. 2.

**2nd Row:** P.

**3rd Row:** Repeat 1st row.

**4th Row:** P. 1, \* sl. next st. on spare needle and leave in front, p. into back of next st., p. the st. from spare needle, sl. next st. on spare needle and leave at back, p. 1, p. the st. from spare needle, repeat from \* to last st., p. 1.

**5th Row:** \* Sl. 1st st. on spare needle and leave in front, k. into back of next st., k. the st. from spare needle, k. 2, repeat from \* omitting the k. 2 at the end of row.

**6th Row:** P.

**7th Row:** Repeat 5th row.

**8th Row:** P. 1, \* sl. next st. on spare needle and leave at back, p. 1, p. the st. from spare needle, sl. next st. on spare needle and leave in front, p. into back of next st., p. the st. from spare needle, repeat from \* to last st., p. 1.

Repeat the last 8 rows and when work measures 15½ inches shape armholes by casting off 4 sts. at the beginning of the next 2 rows. K. 2 tog.

each end of the next 2 rows, then every 2nd row twice. When armholes measure 7 inches shape shoulders by casting off 7 sts. at the beginning of the next 6 rows. Cast off.

**Left Front:** Using No. 8 needles, cast on 55 sts. Work 8 rows moss st. (working 1st row into back of sts.). Change to No. 6 needles.

**Next Row:** Work 42 sts. in pattern, moss st. 5.

**Next Row:** Moss st. 5, work 42 sts. in pattern. Continue in pattern, keeping the 5 border sts. in moss st., and when work measures 15½ inches, cast off 8 sts. at armhole edge, work to last 7 sts., k. 2 tog., moss st. 5.

Continue to decrease 1 st. at centre front (inside border) every 3rd row and k. 2 tog. at armhole edge of the next 2 rows then every 2nd row twice. Continue to decrease at centre front every 3rd row until decreased to 26 sts. When armhole measures 7 inches shape shoulder by casting off 7 sts. at armhole edge every 2nd row 3 times. Work remaining 5 sts. for 2½ inches. Cast off.

**Right Front:** Work to correspond with left front, working border at opposite end.

**Short Sleeves:** Using No. 8 needles, cast on 50 sts. Work 8 rows moss st. (working 1st row into back of sts.). Change to No. 6 needles. Work in pattern increasing 1 st. each end of every 2nd row until increased to 66 sts. When sleeve seam measures 5 inches k. 2 tog. each end of every 2nd row until decreased to 34 sts. When work measures 6 inches from 1st decrease, cast off 8 sts. at the beginning of the next 2 rows. Work remaining 18 sts. for 1½ inches. Cast off.

**Long Sleeves:** Using No. 8 needles, cast on 42 sts. Work 8 rows moss st. (working 1st row into back of sts.). Change to No. 6 needles. Work in pattern for 2 inches, then increase 1 st. each end of every 6th row until increased to 66 sts. When sleeve seam measures 18 inches or required length shape the top the same as for short sleeves.

**Pockets (2):** Using No. 6 needles, cast on 26 sts. Work in pattern for 5½ inches. Change to No. 8 needles. Work 7 rows moss st. Cast off.

**Shoulder Pads:** Using No. 6 needles, cast on 16 sts. Work 16 rows st.st. Cast off. Fold in half, pad with cotton wool and sew up edges.

**To Make Up:** Press with a warm iron and damp cloth. Sew up seams, sew in sleeves and shoulder pads. Join borders at back of neck. Sew on pockets.



*Springwood*

DESIGN No. 3202

PAGE 3



*Kat-ing-gai*

DESIGN No. 3059

PAGE 5



# Kuring-gai

DESIGN No. 3059.

(Illustrated on page 4)

**Warning** :—The knitting instructions in this book have been worked out by experts using "Sun-Glo" wool. Do not accept substitution. Only by using the wool specified and following the instructions and tension given can you assure success of your garment.

**Materials Required** : 8 skeins "Sun - Glo" Shrinkproof Sports wool, shade No. 1075 (white). 2 pairs Needles, Nos. 10 and 6. 2 Buttons. 1 Crochet Hook.

**Measurements** : Length from top of shoulder 23 inches. Bust 32/34 inches. Length of sleeve seam 18 inches.

**NOTE** :—For 36 inch bust, use No. 4 instead of No. 6 needles.

**Tension** : 4 sts. 1 inch. 6 rows 1 inch.

**Back** : Using No. 6 needles, cast on 74 sts. Work in st.st. for 6½ inches (working 1st row into back of sts.).

**Next Row** : K. 4, \* k. 2 tog., k. 4, repeat from \* to last 4 sts., k. 2 tog., k. 2. (62 sts.).

Change to No. 10 needles and work in rib of k. 1, p. 1, for 2 inches. Change to No. 6 needles and work in st.st., increasing 1 st. each end of every 6th row until increased to 74 sts. When work measures 15½ inches shape armholes by casting off 4 sts. at the beginning of the next 2 rows. K. 2 tog. each end of the next 4 rows. When armholes measure 3 inches work as follows :—K. 1, \* pick up and k. the loop between sts., k. 2 tog., repeat from \* to last st., k. 1.

Work across all sts. in rib of k. 1, p. 1, for 4 inches, then shape shoulders by casting off 6 sts. at the beginning of the next 6 rows. Cast off.

**Pockets (2)** : Using No. 6 needles, cast on 20 sts. Work in st.st. for 4½ inches, ending with a k. row. Leave on a spare needle.

**Left Front** : Using No. 6 needles, cast on 42 sts. 1st Row : K.

2nd Row : K. 4, p. to end.

Repeat last 2 rows for 4½ inches (working 1st row into back of sts.).

**Next Row** : K. 10, cast off 20 sts., k. 12.

**Next Row** : K. 4, p. 8, p. the 20 sts. of one pocket, p. 10.

Continue in st.st. until work measures 6½ inches. **Next Row** : K. 3, \* k. 2 tog., k. 5, repeat from \* to last 4 sts., k. 2 tog., k. 2. (36 sts.).

Change to No. 10 needles and work in rib of k. 1, p. 1, for 2 inches, keeping the border sts. in garter st. Change to No. 6 needles and work in st.st., keeping the 4 border sts. in garter st., increasing 1 st. at side seam edge every 6th row 6 times, at the same time decrease 1 st. at centre front edge (inside border) every 6th row. When work measures 15½ inches continue to decrease 1 st. at centre front edge every 6th row and cast off 4 sts. at armhole edge of the next row. K. 2 tog. at armhole edge of the next 4 rows. Continue to decrease 1 st. at centre front every 6th row until armhole measures 3 inches.

**Next Row** : K. 1, \* pick up and k. the loop between sts., k. 2 tog., repeat from \* to last 4 sts., k. 4.

Now work across all sts. in rib of k. 1, p. 1, keeping the 4 border sts. in garter st. and decrease 1 st. at centre front edge every 4th row until decreased to 22 sts. When armhole measures 7 inches shape shoulder by casting off 6 sts. at armhole edge every 2nd row 3 times. Work remaining 4 sts. for 2½ inches. Cast off.

**Right Front** : Work to correspond with left front, working shapings at opposite ends and making a buttonhole when ½ inch of the ribbing at waist has been worked and 2nd one 1 inch above 1st one.

Buttonholes—1st Row : K. 4 sts., cast off 2 sts., rib to end of row.

2nd Row : Rib to last 4 sts., cast on 2 sts., k. 4 sts.

**Sleeves** : Using No. 10 needles, cast on 36 sts. Work in rib of k. 1, p. 1, for 2½ inches (working 1st row into back of sts.). Change to No. 6 needles and work in st.st., increasing 1 st. each end of every 8th row until increased to 56 sts. When sleeve seam measures 18 inches or required length, k. 2 tog. each end of every 2nd row until decreased to 32 sts. When work measures 6 inches from 1st decrease, cast off 8 sts. at the beginning of the next 2 rows. Work the remaining 16 sts. in st.st. for 1½ inches. Cast off. Stitch the cast off sts. to side of sts. worked for 1½ inches.

**Shoulder Pads** : Using No. 6 needles, cast on 16 sts. Work 16 rows st.st. Cast off. Fold in half, pad with cotton wool and sew up edges.

**To Make Up** : Press with a warm iron and damp damp cloth. Sew up seams, sew in sleeves and shoulder pads. Work 1 row of DC. along top of pockets down each front, across back of neck and around lower edge. Sew buttons at waist. Stitch down pockets.

# Killara

DESIGN No. 3221.

(Illustrated on page 7)

**Warning:**—The knitting instructions in this book have been worked out by experts using "Sun-Glo" wool. Do not accept substitution. Only by using the wool specified and following the instructions and tension given can you assure success of your garment.

**Materials Required:** 6 skeins (short sleeves) 8 skeins (long sleeves) "Sun-Glo" Shrinkproof Sports wool, shade No. 1075 (White). 1 skein each of Shades No. 2252 (Rose), 2254 (Green), 2195 (Yellow), and 2103 (Blue). 2 pairs Needles, Nos. 9 and 6. 8 Buttons. 1 Crochet Hook.

**Measurements:** Length from top of shoulder 19 inches. Bust 32/34 inches. Length of sleeve seam 5 inches.

**NOTE:**—For 36 inch bust, use No. 4 instead of No. 6 needles.

**Tension:** 4 sts. 1 inch. 6 rows 1 inch.

**Back:** Using No. 9 needles and W. wool, cast on 60 sts. Work in st.st. for 14 rows (working 1st row into back of sts.). Change to No. 6 needles and continue in st.st. increasing 1 st. each end of the next, then every 6th row following until increased to 74 sts. When work measures 12 inches, shape armholes by casting off 3 sts. at the beginning of the next 2 rows. K. 2 tog. each end of the next 3 rows, then every 2nd row 3 times. When armholes measure 7 inches, shape shoulders by casting off 6 sts. at the beginning of the next 6 rows. Cast off.

**Left Front:** Using No. 9 needles and W. wool, cast on 34 sts. K. into back of sts. P. 1 row. Work in following pattern:—

1st Row: K. 3 W., 2 Bl., 12 W., 2 G., 6 W., 2 Bl., 7 W.

2nd Row: P. 7 W., 2 Bl., 8 W., 1 G., 2 W., 3 G., 6 W., 2 Bl., 3 W.

3rd Row: K. 10 W., 3 G., 1 W., 2 G., 18 W.

4th Row: P. 7 W., 2 Bl., 10 W., 1 G., 2 W., 1 G., 6 W., 2 Bl., 3 W.

5th Row: K. 3 W., 2 Bl., 8 W., 2 R., 1 W., 2 R., 7 W., 2 Bl., 7 W.

6th Row: P. 16 W., 5 R., 3 W., 3 G., 7 W.

7th Row: K. 3 W., 2 Bl., 1 W., 3 G., 2 W., 9 R., 1 W., 3 G., 1 W., 2 Bl., 7 W.

8th Row: P. 7 W., 2 Bl., 1 W., 2 G., 2 W., 3 R., 3 W., 3 R., 3 W., 1 G., 2 W., 2 Bl., 3 W.

9th Row: K. 12 W., 2 R., 3 W., 2 R., 15 W.

10th Row: P. 7 W., 2 Bl., 5 W., 3 R., 3 W., 3 R., 6 W., 2 Bl., 3 W.

11th Row: K. 3 W., 2 Bl., 6 W., 9 R., 5 W., 2 Bl., 7 W.

12th Row: P. 16 W., 5 R., 13 W.

13th Row: K. 3 W., 2 Bl., 8 W., 2 R., 1 W., 2 R., 7 W., 2 Bl., 7 W.

14th Row: P. 7 W., 2 Bl., 20 W., 2 Bl., 3 W. Change to No. 6 needles.

15th Row: Using W. wool, k. increasing 1 st. at the beginning of the row.

16th Row: P. 7 W., 2 Bl., 20 W., 2 Bl., 4 W.

17th Row: K. 4 W., 2 Bl., 20 W., 2 Bl., 7 W.

18th Row: Using W. wool, p.

These 18 rows complete 1 pattern (with 1 increased st. on the 15th row). Continue in pattern, using No. 6 needles, and increase 1 st. at side seam edge on the 3rd then every 6th row following until increased to 41 sts. When work measures 12 inches, cast off 3 sts. at armhole edge of the next row. K. 2 tog. at armhole edge of the next 3 rows, then every 2nd row 3 times. When armhole measures 5½ inches, cast off 6 sts. at neck edge of the next row. K. 2 tog. at neck edge every row until increased to 18 sts. When armhole measures 7 inches, shape shoulder by casting off 6 sts. at armhole edge every 2nd row 3 times.

**Right Front:** Work to correspond with left front, working each row from the end to the beginning and making buttonholes as follows:—1st one being ½ inch from lower edge and 7 more 2 inches apart.

Buttonholes—1st Row: K. 2, cast off 2 sts., work to end of row.

2nd Row: Work to last 2 sts., cast on 2 sts., p. 2.

**Short Sleeves:** Using No. 9 needles, cast on 44 sts. Work in st.st. for 1 inch (working 1st row into back of sts.). Change to No. 6 needles and continue in st.st., increasing 1 st. each end of every 2nd row until increased to 60 sts. When sleeve seam measures 5 inches, k. 2 tog. each end of every 2nd row until decreased to 18 sts. Cast off.

**Long Sleeves:** Using No. 9 needles, cast on 38 sts. Work in st.st. for 3 inches (working 1st row into back of sts.). Change to No. 6 needles and continue in st.st., increasing 1 st. each end of every 8th row until increased to 60 sts. When sleeve seam measures 18 inches or required length, k. 2 tog. each end of every 2nd row until decreased to 18 sts. Cast off.

*Continued on page 9.*

*Killara*

DESIGN No. 3221  
PAGE 6



*Kiana*

DESIGN No. 3118  
PAGE 8

# Kiama

DESIGN No. 3118.

(Illustrated on page 7)

**Warning:**—The knitting instructions in this book have been worked out by experts using "Sun-Glo" wool. Do not accept substitution. Only by using the wool specified and following the instructions and tension given can you assure success of your garment.

**Materials Required:** 8 skeins "Sun - Glo" Shrinkproof Sports wool, shade No. 2103 (Blue). 2 pairs Needles, Nos. 6 and 8. 8 Buttons. 1 Crochet Hook.

**Measurements:** Length from top of shoulder 20 inches. Bust 32/34 inches. Length of sleeve seam 18 inches.

**NOTE:**—For 36 inch bust, use No. 4 instead of No. 6 needles.

**Pattern:** A multiple of 10 sts., plus 8 extra sts.

**Tension:** 9 sts. 2 inches. 12 rows 2 inches.

**Back:** Using No. 8 needles, cast on 68 sts. Work in rib of k. 1, p. 1, for 3½ inches (working 1st row into back of sts.). Change to No. 6 needles.

1st Row: K.

2nd Row: P.

3rd Row: K.

4th Row: P. 1, \* p. 1, sl. 1, p. 2, sl. 1, p. 5, repeat from \* ending row with p. 2 instead of p. 5.

5th Row: K. 2, \* sl. next st. off left hand needle, draw up to form a long loop and leave in front of work. K. the 3rd st. on left hand needle, then k. the 1st and 2nd sts. and sl. all sts. off needle together. K. the dropped st. (this will be referred to as "cross 4"), k. 6, repeat from \* ending row with k. 2 instead of k. 6.

6th Row: P.

7th Row: K.

8th Row: P. 7, \* sl. 1, p. 2, sl. 1, p. 6, repeat from \* to last st., p. 1.

9th Row: K. 7, \* cross 4, k. 6, repeat from \* to last st., k. 1.

10th Row: P. Repeat from 3rd to 10th rows inclusive to form the pattern. Repeat these 8 rows, increasing 1 st. each end of the next and then every 6th row until increased to 82 sts. When work measures 12½ inches shape armholes by casting off 5 sts. at the beginning of the next 2 rows. K. 2 tog. each end of the next 3 rows

then every 2nd row 3 times. When armholes measure 7 inches shape shoulders by casting off 6 sts. at the beginning of the next 6 rows. Cast off.

**Left Front:** Using No. 8 needles, cast on 43 sts.

1st Row: (K. 1, p. 1) 19 times, moss st. 5.

2nd Row: Moss st. 5, (k. 1, p. 1) 19 times.

Repeat last 2 rows for 3½ inches, (working 1st row into back of sts.).

Change to No. 6 needles.

**Next Row:** Work 38 sts. in pattern (as for back), moss st. 5.

**Next Row:** Moss st. 5, work 38 sts. in pattern. Continue in pattern, keeping the 5 border sts. in moss st. and increase 1 st. at side seam edge on the next then every 6th row until increased to 50 sts. When work measures 12½ inches cast off 5 sts. at armhole edge of the next row. K. 2 tog. at armhole edge of the next 3 rows, then every 2nd row 3 times. When armholes measure 5½ inches cast off 11 sts. at neck edge of the next row. K. 2 tog. at neck edge every row until decreased to 18 sts. When armhole measures 7 inches shape shoulder by casting off 6 sts. at armhole edge every 2nd row 3 times.

**Right Front:** Work to correspond with left front, working the border at opposite end and making buttonholes as follows:—1st one being ½ inch from lower edge and 7 more 2½ inches apart.

**Buttonholes—1st Row:** Moss st. 2, cast off 2 sts., work to end of row.

2nd Row: Work to last 2 sts., cast on 2 sts., moss st. 2.

**Sleeves:** Using No. 8 needles, cast on 38 sts. Work in rib of k. 1, p. 1, for 3 inches (working 1st row into back of sts.). Change to No. 6 needles and work in pattern, increasing 1 st. each end of every 6th row until increased to 64 sts. When sleeve seam measures 18 inches or required length, k. 2 tog. each end of every 2nd row until decreased to 38 sts. When work measures 6 inches from 1st decrease, cast off 10 sts. at the beginning of the next 2 rows. Work remaining 18 sts. for 1½ inches. Cast off. Stitch the cast off sts. to side of sts. worked for 1½ inches.

**Shoulder Pads:** Using No. 6 needles, cast on 18 sts. Work 18 rows st.st. Cast off. Fold in half, pad with cotton wool and sew up edges.

**To Make Up:** Press with a warm iron and damp cloth. Sew up seams, sew in sleeves and shoulder pads. Work 2 rows of DC. around neck. Sew buttons on left front.



# Picton

DESIGN No. 3198.

(Illustrated on page 10)

**Warning :** The knitting instructions in this book have been worked out by experts using "Sun-Glo" wool. Do not accept substitution. Only by using the wool specified and following the instructions and tension given can you assure success of your garment.

**Materials Required :** 9 skeins (short sleeves) 11 skeins (long sleeves) "Sun-Glo" Shrinkproof Sports wool, shade No. 2185 (Maize). 1 pair No. 6 Needles.

**Measurements :** Length from top of shoulder 23 inches. Bust 32/34 inches. Length of sleeve seam 5 inches.

**NOTE :—**For 36 inch bust, use No. 4 instead of No. 6 needles.

**Pattern :** A multiple of 3 sts.

**Tension :** 5 sts. 1 inch. 6 rows 1 inch.

**Back :** Using No. 6 needles, cast on 84 sts. Work 8 rows moss st. (working 1st row into back of sts.).

**1st Row :** (wrong side) k. 2, \* p. 1, m. 1, p. 1, k. 1, repeat from \* to last st., k. 1.

**2nd Row :** K. 1, p. 1, \* sl. 1, k. into next st., leaving the st. on needle, psso., k. 2 tog., using this loop on left hand needle and next st., p. 1, repeat from \* to last st., k. 1.

**3rd Row :** Repeat 1st row.

**4th Row :** P. 2, \* k. 3, p. 1, repeat from \* to last st., k. 1.

**5th Row :** K. 2, \* p. 3, k. 1, repeat from \* to last st., k. 1.

**6th Row :** P. 2, \* sl. 1, k. 2 tog., psso., p. 1, repeat from \* to last st., k. 1.

**7th Row :** K. 2, \* (p. 1, wrn., p. 1) all into next st., k. 1, repeat from \* to last st., k. 1.

Repeat from 2nd to 7th row inclusive to form the pattern. When work measures 16 inches, shape armholes by casting off 3 sts. at the beginning of the next 2 rows. K. 2 tog. each end of the next 3 rows, then every 2nd row 3 times. When armholes measure 7 inches, shape shoulders by casting off 7 sts. at the beginning of the next 6 rows. Cast off.

**Right Front :** Using No. 6 needles, cast on 53 sts. Work 8 rows moss st. (working 1st row into back of sts.).

**Next Row :** Work in pattern to last 5 sts., moss st. 5.

**Next Row :** Moss st. 5, work in pattern to end of row.

Continue in pattern, keeping the 5 border sts. in moss st., and when work measures 16 inches cast off 3 sts. at armhole edge, work to last 7 sts., k. 2 tog., moss st. 5. Continue to decrease 1 st. at centre front (inside border) every 2nd row, at the same time k. 2 tog. at armhole edge of the next 3 rows, then every 2nd row 3 times. Continue to decrease at centre front every 2nd row until decreased to 26 sts. When armhole measures 7 inches, shape shoulder by casting off 7 sts. at armhole edge every 2nd row 3 times. Work remaining 5 sts. in moss st. for 2½ inches. Cast off.

**Left Front :** Work to correspond with right front, working border at opposite end.

**Short Sleeves :** Using No. 6 needles, cast on 66 sts. Work 8 rows moss st. (working 1st row into back of sts.). Work in pattern, increasing 1 st. each end of every 2nd row until increased to 78 sts. When sleeve seam measures 5 inches, k. 2 tog. each end of every 2nd row until decreased to 34 sts. When work measures 6 inches from 1st decrease, cast off 8 sts. at the beginning of the next 2 rows. Work the remaining 18 sts. for 1½ inches. Cast off. Stitch the cast off sts. to side of sts. worked for 1½ inches.

**Long Sleeves :** Using No. 6 needles, cast on 36 sts. Work 8 rows moss st. (working 1st row into back of sts.). Work in pattern, increasing 1 st. each end of every 4th row until increased to 78 sts. When sleeve seam measures 18 inches or required length, shape the top the same as for short sleeves.

**Shoulder Pads :** Using No. 6 needles, cast on 16 sts. Work 16 rows st.st. Cast off. Fold in half, pad with cotton wool and sew up edges.

**Pockets (2) :** Using No. 6 needles, cast on 27 sts. Work in pattern for 5 inches. Work 8 rows moss st. Cast off.

**To Make Up :** Press with a warm iron and damp cloth. Sew up seams, sew in sleeves and shoulder pads. Join borders at back of neck. Sew on pockets.

---

DESIGN No. 3221—Continued from page 6.

**To Make Up :** Press with a warm iron and damp cloth. Sew up seams, sew in sleeves. Using W. wool, work 1 row of DC. down each front, around neck and lower edge of cardigan and sleeves. Using Bl. wool, crochet a shell edge around neck and sleeves. Sew buttons on left front. Embroider centres in each flower with Y. wool.



*Piston*

DESIGN No. 3198  
PAGE 9



*Toorak*

DESIGN No. 3220  
PAGE 11

# Toorak

DESIGN No. 3220.

(Illustrated on page 10)

**Warning :—**The knitting instructions in this book have been worked out by experts using "Sun-Glo" wool. Do not accept substitution. Only by using the wool specified and following the instructions and tension given can you assure success of your garment.

**Materials Required :** 5 skeins (short sleeves), 7 skeins (long sleeves) "Sun-Glo" Shrinkproof Sports wool, shade No. 2123 (Brown). 1 skein shade No. 2317 (Honey Gold). 2 pairs Needles, Nos. 9 and 6.

**Measurements :** Length from top of shoulder 20 inches. Bust 32/34 inches. Length of sleeve seam 5 inches.

**NOTE :—**For 36 inch bust, use No. 4 instead of No. 6 needles.

**Tension :** 4 sts. 1 inch. 6 rows 1 inch.

**Back :** Using No. 9 needles and Br. wool, cast on 64 sts. Work in rib of k. 1, p. 1 for 3½ inches (working first row into back of sts.). Change to No. 6 needles and work in st.st., increasing 1 st. each end of every 8th row until increased to 72 sts. Work as follows :—

1st Row : K. 1 H., 71 Br.

2nd Row : P. 70 Br., 2 H.

3rd Row : K. 3 H., 69 Br.

4th Row : P. 68 Br., 4 H.

5th Row : K. 5 H., 67 Br.

6th Row : P. 66 Br., 6 H.

7th Row : K. 7 H., 65 Br.

8th Row : P. twice into first st., p. 63 Br., 7 H., p. twice into last st. (74 sts.).

9th Row : K. 10 H., 64 Br.

10th Row : P. 63 Br., 11 H.

Continue to work 1 more st. in H. and 1 less in Br. every row, at the same time, when work measures 12½ inches shape armholes by casting off 3 sts. at the beginning of the next 2 rows. K. 2 tog. each end of the next 3 rows then every 2nd row 3 times. When armholes measure 7 inches and all sts. are in H., shape shoulders by casting off 6 sts. at the beginning of the next 6 rows. Cast off.

**Front :** Work the same as for back until armhole measures 5½ inches.

**Next Row :** K. 24, (leave on a spare needle), cast off 8 sts., k. 24.

Continue on last 24 sts. and k. 2 tog. at neck edge of the next 3 rows, then every 2nd row until decreased to 18 sts. When armhole measures 7 inches shape shoulders by casting off 6 sts. at armhole edge every 2nd row 3 times. Join wool at neck edge and work other side to correspond.

**Short Sleeves :** Using No. 6 needles and Br. wool cast on 50 sts. Work in st.st., increasing 1 st. each end of every 4th row until increased to 60 sts. When sleeve seam measures 5 inches, k. 2 tog. each end of every 2nd row until decreased to 22 sts. Cast off.

**Long Sleeves :** Using No. 9 needles cast on 40 sts. Work in rib of k. 1, p. 1, for 3 inches (working 1st row into back of sts.). Change to No. 6 needles and work in st.st., increasing 1 st. each end of every 8th row until increased to 60 sts. When sleeve seam measures 18 inches or required length, k. 2 tog. each end of every 2nd row until decreased to 22 sts. Cast off.

**To Make Up :** Press with a warm iron and damp cloth. Sew up seams, leaving an opening on left shoulder. Sew in sleeves. Work 1 row of DC. around neck and along shoulder opening. Sew on press studs.

---

DESIGN No. 3218—Continued from page 2.

**Left Front.** Using No. 6 needles, cast on 48 sts. K. 8 rows, knitting into the back of all sts. to make a firm edge.

**Next Row :** Work 48 sts. in pattern as for back, k. into back of next 5 sts.

**Next Row :** K. into back of 1st 5 sts., work 43 sts. in pattern. Continue in pattern, keeping the 5 border sts. in garter st., and when work measures 15½ inches, cast off 3 sts. at armhole edge, work to last 7 sts., k. 2 tog., k. 5.

Continue to decrease 1 st. at centre front (inside border) every 2nd row and k. 2 tog. at armhole edge of the next 3 rows then every 2nd row 3 times. Continue to decrease at centre front every 2nd row until decreased to 23 sts. When armhole measures 7 inches, shape shoulder by casting off 6 sts. at armhole edge every 2nd row 3 times. Work remaining 5 sts. in garter st. for 2 inches. Cast off.

**Right Front :** Work to correspond with left front, working border at opposite ends.

**Short Sleeves :** Using No. 6 needles, cast on 61 sts. K. 8 rows, knitting into the back of all sts. Work in pattern, and when work measures 5 inches, k. 2 tog. each end of every 2nd row until decreased to 21 sts. Cast off.

**Long Sleeves :** Using No. 6 needles, cast on 43 sts. K. 8 rows, knitting into the back of all sts. Work in pattern for 3 inches, then increase 1 st. each end of every 8th row until increased to 63 sts. When sleeve seam measures 18 inches or required length, shape the top the same as for short sleeves.

**Pockets (2):** Using No. 6 needles, cast on 25 sts. Work in pattern for 5 inches. K. 7 rows, knitting into the back of all sts. Cast off.

**To Make Up :** Press with a warm iron and damp cloth. Sew up seams, sew in sleeves. Join borders at back of neck. Sew on pockets.

# Cooma

DESIGN No. 3186.

(Illustrated on page 13)

**Warning:**—The knitting instructions in this book have been worked out by experts using "Sun-Glo" wool. Do not accept substitution. Only by using the wool specified and following the instructions and tension given can you assure success of your garment.

**Materials Required:** 8 skeins (short sleeves), 10 skeins (long sleeves) "Sun-Glo" Shrinkproof Sports wool, shade No. 2103 (Blue). 1 skein, shade No. 2138 (Red). 2 pairs Needles, Nos. 9 and 6. 9 Buttons. 1 Crochet Hook.

**Measurements:** Length from top of shoulder 20 inches. Bust 32/34 inches. Length of sleeve seam 5 inches.

**NOTE:**—For 36 inch bust, use No. 4 instead of No. 6 needles.

**Pattern:** A multiple of 11 sts. plus 3 extra sts.

**Tension:** 11 sts. 2 inches. 14 rows 2 inches.

**Back:** Using No. 9 needles, cast on 68 sts. Work in rib of k. 1, p. 1, for 3½ inches (working 1st row into back of sts.). Change to No. 6 needles, k. 1 row, increasing 1 st.

**1st Row:** (wrong side of work) (K. 1, p. 1) twice, k. 1, \* p. 4, (k. 1, p. 1) 3 times, k. 1, repeat from \* to last 9 sts., p. 4, (k. 1, p. 1) twice, k. 1.

**2nd Row:** (K. 1, p. 1) twice, k. 1, \* k. 5, (p. 1, k. 1) 3 times, repeat from \* to last 9 sts., k. 5, (p. 1, k. 1) twice.

Repeat 1st and 2nd rows. Repeat 1st row.

**6th Row:** K. 1, p. 1, k. 1, \* sl. next 2 sts. on to a spare needle and leave at back of work, k. the next 2 sts., then p. the 2 sts. from spare needle, sl. next 2 sts. on a spare needle and leave at front of work, p. the next 2 sts., k. the 2 sts. from spare needle, k. 1, p. 1, k. 1, repeat from \* to end.

**7th Row:** K. 1, p. 1, k. 1, \* p. 2, k. 4, p. 2, k. 1, p. 1, k. 1, repeat from \* to end.

**8th Row:** K. 1, p. 1, k. 1, \* k. 2, p. 4, k. 3, p. 1, k. 1, repeat from \* to end.

Repeat 7th and 8th rows. Repeat 7th row.

**12th Row:** K. 1, p. 1, k. 1, \* sl. next 2 sts. on spare needle and leave at front of work, p. the next 2 sts., k. 2 sts. from spare needle, sl. next 2 sts. on spare needle and leave at back of work, k. the next 2 sts., p. 2 sts. from spare needle, k. 1, p. 1, k. 1, repeat from \* to end.

Repeat the last 12 rows, increasing 1 st. each end of every 6th row until increased to 85 sts. (keeping increased sts. in moss st.). When work measures 12½ inches, shape armholes by casting off 3 sts. at the beginning of the next 2 rows. K. 2 tog.

each end of the next 3 rows, then every 2nd row 3 times. When armholes measure 7 inches shape shoulders by casting off 7 sts. at the beginning of the next 6 rows. Cast off.

**Left Front:** Using No. 9 needles, cast on 36 sts. Work in rib of k. 1, p. 1, for 3½ inches (working 1st row into back of sts.). Change to No. 6 needles, k. 1 row.

Work in pattern as for back, increasing 1 st. at side seam edge every 6th row until increased to 44 sts. (keeping increased sts. in moss st.). When work measures 12½ inches cast off 3 sts. at armhole edge of the next row. K. 2 tog. at armhole edge of the next 3 rows, then every 2nd row 3 times. When armhole measures 5½ inches cast off 8 sts. at neck edge of the next row. K. 2 tog. at neck edge of the next 4 rows then every 2nd row until decreased to 21 sts. When armhole measures 7 inches shape shoulder by casting off 7 sts. at armhole edge every 2nd row 3 times.

**Right Front:** Work to correspond with left front working shapings at opposite ends and making buttonholes as follows:—1st one being ¼ inch from lower edge and 8 more 2 inches apart. Buttonholes—1st Row; Work 2 sts., cast off 2 sts., work to end of row.

**2nd Row:** Work to last 2 sts., cast on 2 sts., work 2 sts.

**Short Sleeves:** Using No. 9 needles, cast on 46 sts. Work in rib of k. 1, p. 1, for 1½ inches (working 1st row into back of sts.). Change to No. 6 needles, k. 1 row, increasing 1 st.

Work in pattern, increasing 1 st. each end of every 2nd row until increased to 65 sts., (keeping increased sts. in moss st.). When work measures 5 inches, k. 2 tog. each end of every 2nd row until decreased to 31 sts. When work measures 6 inches from 1st decrease, cast off 8 sts. at the beginning of the next 2 rows. Work the remaining 15 sts. for 1½ inches. Cast off. Stitch the cast off sts. to side of sts. worked for 1½ inches.

**Long Sleeves:** Using No. 9 needles, cast on 36 sts. Work in rib of k. 1, p. 1, for 3 inches (working 1st row into back of sts.). Change to No. 6 needles, k. 1 row. Work in pattern increasing 1 st. each end of every 6th row until increased to 64 sts. When sleeve seam measures 18 inches or required length, k. 2 tog. each end of every 2nd row, until decreased to 30 sts. When work measures 6 inches from 1st decrease, cast off 8 sts. at the beginning of the next 2 rows. Work remaining 14 sts. for 1½ inches. Cast off. Stitch the cast off sts. to side of sts. worked for 1½ inches.

**Shoulder Pads:** Using No. 6 needles, cast on 16 sts. Work 16 rows st. Cast off. Fold in half, pad with cotton wool and sew up edges.

*Continued on page 15.*





*Cooma*

DESIGN No. 3186  
PAGE 12



*Lapstone*

DESIGN No. 3201  
PAGE 14

# Lapstone

DESIGN No. 3201.

(Illustrated on page 13)

**Warning:**—The knitting instructions in this book have been worked out by experts using "Sun-Glo" wool. Do not accept substitution. Only by using the wool specified and following the instructions and tension given can you assure success of your garment.

**Materials Required:** 8 skeins "Sun - Glo" Shrinkproof Sports wool, shade No. 2318 (Wood Green). 2 pairs Needles, Nos. 6 and 10. 9 Buttons.

**Measurements:** Length from top of shoulder 23 inches. Bust 32/34 inches. Length of sleeve seam 18 inches.

**NOTE:**—For 36 inch bust, use No. 4 instead of No. 6 needles.

**Pattern:** A multiple of 4 sts.

**Tension:** 9 sts. 2 inches. 12 rows 2 inches.

**Back:** Using No. 6 needles, cast on 80 sts. Work 4 rows rib of k. 1, p. 1, (working 1st row into back of sts.). Work in following pattern:—

1st Row: \* K. 4, twist wool twice around needle, repeat from \* to last 4 sts., k. 4.

2nd Row: \* P. 3, sl. next st., drop the 2 twists of wool off left hand needle, repeat from \* to last 4 sts., p. 4.

3rd Row: K. 4, \* sl. 1, k. 3, repeat from \* to end.

4th Row: \* P. 3, sl. 1, repeat from \* to last 4 sts., p. 4.

5th Row: K. 3, \* twist next 2 sts. as follows:—Miss next st. on left hand needle and k. the sl. st. which forms a long loop, keep this loop on left hand needle and k. the missed st. and drop both sts. off tog., k. 2, repeat from \* to last st., k. 1.

6th Row: P.

Repeat the last 6 rows decreasing 1 st. each end of the next then every 6th row until decreased to 66 sts. When work measures  $7\frac{1}{2}$  inches change to No. 10 needles and continue in pattern for 1 inch. Change to No. 6 needles and continue in pattern increasing 1 st. each end of every 6th row until increased to 80 sts. When work measures  $15\frac{1}{2}$  inches shape armholes by casting off 4 sts. at the beginning of the next 2 rows. K. 2 tog. each end of the next 2 rows then every 2nd row twice. When armholes measure 7 inches shape shoulders by casting off 6 sts. at the beginning of the next 6 rows. Cast off.

**Left Front:** Using No. 6 needles, cast on 50 sts. Work 4 rows rib of p. 1, k. 1, (working 1st row into back of sts.).

**Next Row:** Work 44 sts. in pattern, rib 6 sts.

**Next Row:** Rib 6 sts., work 44 sts. in pattern.

Continue in pattern keeping the 6 border sts. in rib and decrease 1 st. at side seam edge on the 7th then every 6th row until decreased to 43 sts. When work measures  $7\frac{1}{2}$  inches change to No. 10 needles and continue in pattern for 1 inch. Change to No. 6 needles and continue in pattern increasing 1 st. at side seam edge every 6th row until increased to 50 sts. When work measures  $15\frac{1}{2}$  inches cast off 4 sts. at armhole edge of the next row. K. 2 tog. at armhole edge of the next 2 rows, then every 2nd row twice.

When armhole measures 5 inches cast off 14 sts. at neck edge of the next row. K. 2 tog. at neck edge every row until decreased to 18 sts. When armhole measures 7 inches shape shoulder by casting off 6 sts. at armhole edge every 2nd row 3 times.

**Right Front:** Work to correspond with left front, working in rib of k. 1, p. 1, instead of p. 1, k. 1, and keeping the border at the opposite end and making buttonholes as follows:—1st one being  $\frac{1}{2}$  inch from lower edge and 8 more 2 inches apart.

**Buttonholes—1st Row:** Rib 3 sts., cast off 2 sts., work to end of row.

**2nd Row:** Work to last 3 sts., cast on 2 sts., rib 3 sts.

**Sleeves:** Using No. 10 needles, cast on 44 sts. Work in rib of k. 1, p. 1, for 3 inches, (working 1st row into back of sts.). Change to No. 6 needles and work in pattern increasing 1 st. each end of every 8th row until increased to 64 sts. When sleeve seam measures 18 inches or required length k. 2 tog. each end of every 2nd row until decreased to 32 sts. When work measures 6 inches from 1st decrease cast off 8 sts. at the beginning of the next 2 rows. Work the remaining 16 sts. for  $1\frac{1}{2}$  inches.

**Neckband:** Join shoulder seams. With right side of work towards you, using No. 10 needles, pick up and k. 72 sts. around neck. Work 2 rows rib of k. 1, p. 1. Cast off in ribbing.

**Shoulder Pads:** Using No. 6 needles, cast on 16 sts. Work 16 rows st.st. Cast off. Fold in half, pad with cotton wool and sew up edges.

**To Make Up:** Press with a warm iron and damp cloth. Sew up seams, sew in sleeves and shoulder pads. Sew buttons on left front.

# Sandy Bay

DESIGN No. 3141.

(Illustrated on Back Cover)

**Warning:**—The knitting instructions in this book have been worked out by experts using "Sun-Glo" wool. Do not accept substitution. Only by using the wool specified and following the instructions and tension given can you assure success of your garment.

**Materials Required:** 8 skeins "Sun-Glo" Shrinkproof Sports wool, shade No. 2103 (Saxe). 2 pairs Needles, Nos. 10 and 6. 1 Crochet Hook. 9 Buttons.

**Measurements:** Length from top of shoulder 22 inches. Bust 32/34 inches. Length of sleeve seam 18 inches.

**NOTE:**—For 36 inch bust, use No. 4 instead of No. 6 needles.

**Tension:** 9 sts. 2 inches. 12 rows 2 inches.

**Back:** Using No. 6 needles, cast on 72 sts. Work in st.st., decreasing 1 st. each end of every 6th row until decreased to 58 sts. Change to No. 10 needles. Work 6 rows st.st. Change to No. 6 needles and continue in st.st., increasing 1 st. each end of every 6th row until increased to 72 sts. When work measures 15 inches shape armholes by casting off 3 sts. at the beginning of the next 2 rows. K. 2 tog. each end of the next 3 rows, then every 2nd row 3 times. When armholes measure 7 inches shape shoulders by casting off 6 sts. at the beginning of the next 6 rows. Cast off.

**Left Front:** Using No. 6 needles, cast on 44 sts. Work 18 rows st.st., decreasing 1 st. at side seam edge every 6th row.

19th Row: K. 29, p. 12.

20th Row: P.

Repeat 19th and 20th rows 5 times, decreasing 1 st. at side seam edge on the 6th and 12th rows. Work 12 rows st.st., decrease 1 st. at side seam edge on the 6th and 12th rows (37 sts.). Change to No. 10 needles and work 6 rows st.st. Change to No. 6 needles.

49th Row: K. 19, p. 18.

50th Row: P.

Repeat 49th and 50th rows 5 times, increasing 1 st. at side seam edge on the 6th and 12th rows. Work 18 rows st.st., increasing 1 st. at side seam edge on the 6th, 12th and 18th rows.

79th Row: K. 18, p. 24.

80th Row: P.

Repeat 79th and 80th rows 5 times, increasing 1 st. at side seam edge on the 6th and 12th rows (44 sts.). Work 4 rows st.st. then continue in st.st. and cast off 3 sts. at armhole edge of the next row. P. 1 row. K. 2 tog. at armhole edge of the next 3 rows, then every 2nd row 3 times.

Work 3 rows st.st.

109th Row: K. 5, p. 30.

110th Row: P.

Repeat 109th and 110th rows 5 times. Continue in st.st. and when armholes measure 5½ inches cast off 10 sts. at neck edge of the next row. K. 2 tog. at neck edge every row until decreased to 18 sts. When armholes measure 7 inches shape shoulder by casting off 6 sts. at armhole edge every 2nd row 3 times.

**Right Front:** Work to correspond with left front, working each row from the end to the beginning and making buttonholes as follows:—1st one being 2 inches from lower edge and 8 more 2 inches apart.

Buttonholes—1st Row: Work 3 sts., cast off 2 sts., work to end of row.

2nd Row: Work to last 3 sts., cast on 2 sts., work 3 sts.

**Sleeves:** Using No. 6 needles, cast on 30 sts. Work in st.st. for 3 inches (working 1st row into back of sts.). Continue in st.st., increasing 1 st. each end of every 6th row until increased to 58 sts. When sleeve seam measures 18 inches or required length k. 2 tog. each end of every 2nd row until decreased to 32 sts. When work measures 6 inches from 1st decrease cast off 8 sts. at the beginning of the next 2 rows. Work remaining 16 sts. for 1½ inches. Cast off. Stitch the cast off sts. to side of sts. worked for 1½ inches.

**Shoulder Pads:** Using No. 6 needles, cast on 16 sts. Work 16 rows st.st. Cast off. Fold in half, pad with cotton wool and sew up edges.

**To Make Up:** Press with a warm iron and damp cloth. Sew up seams, sew in sleeves and shoulder pads. Work 2 rows of DC. around neck and down each front and 1 row around lower edge and sleeves. Sew buttons on left front.

---

DESIGN No. 3188—Continued from page 12.

**To Make Up:** Press with a warm iron and damp cloth. Sew up seams, sew in sleeves and shoulder pads. Using Bl. wool, work 1 row of DC. down each front and around neck. Using R. wool crochet down each front and around neck as follows:—1 DC. into 1st st., \* miss 1 st., 1 DC., 3 treble, 1 DC. into next st., miss 1 st., 1 DC. into next st., repeat from \* to end. Sew buttons on left front.

# Sun-glo

## *Knitting Book*

DESIGN No.  
3141  
PAGE 15

*Series 83*

7d